



PRODUCT MATERIAL	Steel and aluminium
LIGHT SOURCE	Philips LED module
MODULE LIFETIME	Approx. 50.000 hours
DRIVER	Including integrated driver
COLORS (Δ)	<ul style="list-style-type: none"> ○ 3 = RAL 9003 white ● 5 = RAL 9005 black ● 6 = RAL 9006 alu
REFLECTOR	Aluminium white
SIZE	Different sizes available



OPTIONS

COLORS	Available in all RAL colours on request Additional price + 10%
EMERGENCY BALLAST	Art. no.: 0187.003.01.0 - 1 hour
DIMMABLE	DALI dimmable
DIFFUSER	White opalic diffuser in standard microprismatic or any other on request
IP CLASS	IP20 in standard, IP44 on request
COLOR RENDERING INDEX	>80 in standard, other on request
MOVEMENT SENSOR	On request
DAYLIGHT CONTROL SENSOR	On request

ORBIT P



UP/DN version



White opalic

Microprismatic

INFORMATION


WARRANTY	5 Years
-----------------	---------

1,5m steel wire suspension set standard (with wire length control)

Available in up/dn version

Also available in surface mounted version

Keylight International reserves the right to modify or change technical, construction or LED specifications due to continuous improvements of our products and light sources. The light source in this product can be replaced with an equivalent module made by Philips, Osram or Tridonic.




Technical drawing



ART.NR.	LAMP TYPE	BRAND	LIGHT OUTPUT	MODULE POWER	MODULE EFFICIENCY	CORRELATED COLOUR TEMPERATURE	COLOUR RENDERING INDEX	TC LIFE
Δ see colors								
7300.300.30.Δ	LED module	Philips	2500lm	21W	119lm/W	3000	>80	50.000 Hrs
7300.300.40.Δ	LED module	Philips	2500lm	21W	119lm/W	4000	>80	50.000 Hrs
UP/DN								
7301.300.30.Δ	LED module	Philips	2500lm	21W	119lm/W	3000	>80	50.000 Hrs
7301.300.40.Δ	LED module	Philips	2500lm	21W	119lm/W	4000	>80	50.000 Hrs



ORBIT 40 P




Technical drawing



ART.NR.	LAMP TYPE	BRAND	LIGHT OUTPUT	MODULE POWER	MODULE EFFICIENCY	CORRELATED COLOUR TEMPERATURE	COLOUR RENDERING INDEX	TC LIFE
Δ see colors								
7300.450.30.Δ	LED module	Philips	4200lm	29W	145lm/W	3000K	>80	50.000 Hrs
7300.450.40. Δ	LED module	Philips	4200lm	29W	145lm/W	4000K	>80	50.000 Hrs
UP/DN								
7301.450.30.Δ	LED module	Philips	6400lm	45W	142lm/W	3000K	>80	50.000 Hrs
7301.450.40.Δ	LED module	Philips	6400lm	45W	142lm/W	4000K	>80	50.000 Hrs



ORBIT 50 P




Technical drawing



ART.NR.	LAMP TYPE	BRAND	LIGHT OUTPUT	MODULE POWER	MODULE EFFICIENCY	CORRELATED COLOUR TEMPERATURE	COLOUR RENDERING INDEX	TC LIFE
Δ see colors								
7300.500.30.Δ	LED module	Philips	5000lm	35W	143lm/W	3000K	>80	50.000 Hrs
7300.500.40.Δ	LED module	Philips	5000lm	35W	143lm/W	4000K	>80	50.000 Hrs
UP/DN								
7301.500.30.Δ	LED module	Philips	7200lm	51W	141lm/W	3000K	>80	50.000 Hrs
7301.500.40.Δ	LED module	Philips	7200lm	51W	141lm/W	4000K	>80	50.000 Hrs



ORBIT 65 P




Technical drawing



ART.NR.	LAMP TYPE	BRAND	LIGHT OUTPUT	MODULE POWER	MODULE EFFICIENCY	CORRELATED COLOUR TEMPERATURE	COLOUR RENDERING INDEX	TC LIFE
Δ see colors								
7300.650.30.Δ	LED module	Philips	8500lm	56W	152lm/W	3000K	>80	50.000 Hrs
7300.650.40.Δ	LED module	Philips	8500lm	56W	152lm/W	4000K	>80	50.000 Hrs
UP/DN								
7301.650.30.Δ	LED module	Philips	11800lm	80W	148lm/W	3000K	>80	50.000 Hrs
7301.650.40.Δ	LED module	Philips	11800lm	80W	148lm/W	4000K	>80	50.000 Hrs



ORBIT 90 P




Technical drawing



ART.NR.	LAMP TYPE	BRAND	LIGHT OUTPUT	MODULE POWER	MODULE EFFICIENCY	CORRELATED COLOUR TEMPERATURE	COLOUR RENDERING INDEX	TC LIFE
Δ see colors								
7300.900.30.Δ	LED module	Philips	12000lm	76W	158lm/W	3000K	>80	50.000 Hrs
7300.900.40.Δ	LED module	Philips	12000lm	76W	158lm/W	4000K	>80	50.000 Hrs
UP/DN								
7301.900.30.Δ	LED module	Philips	16400lm	105W	156lm/W	3000K	>80	50.000 Hrs
7301.900.40.Δ	LED module	Philips	16400lm	105W	156lm/W	4000K	>80	50.000 Hrs



ORBIT 115 P




Technical drawing



ART.NR.	LAMP TYPE	BRAND	LIGHT OUTPUT	MODULE POWER	MODULE EFFICIENCY	CORRELATED COLOUR TEMPERATURE	COLOUR RENDERING INDEX	TC LIFE
Δ see colors								
7300.115.30.Δ	LED module	Philips	21000lm	135W	157lm/W	3000K	>80	50.000 Hrs
7300.115.40.Δ	LED module	Philips	21000lm	135W	157lm/W	4000K	>80	50.000 Hrs
UP/DN								
7301.115.30.Δ	LED module	Philips	26500lm	171W	155lm/W	3000K	>80	50.000 Hrs
7301.115.40.Δ	LED module	Philips	26500lm	171W	155lm/W	4000K	>80	50.000 Hrs



ORBIT 150 P



Technical drawing



ART.NR.	LAMP TYPE	BRAND	LIGHT OUTPUT	MODULE POWER	MODULE EFFICIENCY	CORRELATED COLOUR TEMPERATURE	COLOUR RENDERING INDEX	TC LIFE
Δ see colors								
7300.150.30.Δ	LED module	Philips	28000lm	190W	147lm/W	3000K	>80	50.000 Hrs
7300.150.40.Δ	LED module	Philips	28000lm	190W	147lm/W	4000K	>80	50.000 Hrs
UP/DN								
7301.150.30.Δ	LED module	Philips	34600lm	238W	145lm/W	3000K	>80	50.000 Hrs
7301.150.40.Δ	LED module	Philips	34600lm	238W	145lm/W	4000K	>80	50.000 Hrs